INDEX

Page

ABEGG, F. A.: A Genetic Factor for the Annual Habit in Beets and Linkage Relationship 493–511
Acetaldehyde, distribution in apple fruit. Erston V. Miller 49–55
Acetone extracts of—
cube roots, determinations 831–838
derris, determinations 831–838
Acidity of fruits and vegetables in storage, effect of carbon dioxide on. Erston V. Miller and Oscar J. Dowd 1–17
Alcohol, distribution in apple fruit. Erston V. Miller 49–55
Alfalfa—
dwarf, virus disease transmissible by grafting. J. L. Weimer 333–347
grafting, relation to transmission of alfalfa dwarf, experiments 342–345
hay, vitamin A content, effect of storage upon. Margaret Cammack Smith 681–684
inoculation with dwarf bacteria, experiments 334–335, 340–341, 346
products, carotene content, relation to vitamin A potency, tests 713–716
ALLEN, RUTH F.: A Cytological Study of *Erysiphe polygoni* on *Delphinium* 801–818
Ammoniation of waste sulphite liquor and its possible utilization as fertilizer material. M. Phillips, M. J. Goss, B. E. Brown, and F. R. Reid 209–224
Anaplasmosis, in cattle, morphological and chemical studies of blood. Charles W. Rees and Maurice W. Hale 477–492
Aphids, transmission of mosaic disease of irises 630–633
Apple—
fruit, distribution of acetaldehyde and alcohol in 49–55
skin and pulp, vitamin C content 550
trees—
growth, effect of potassium fertilizer 38–39
in cylinders, distribution and condition of potassium in differentially fertilized Hagerstown clay loam planted therein. Walter Thomas 533–546
leaf area, relation to vitamin content of fruit, experiments 547–549
nitrogen content, effect of potassium fertilizer on 34–38, 40–41
potassium content, effect of potassium fertilizer on 23–33, 38, 39–41
young, absorption, distribution, and seasonal movement of potassium in, and effect of potassium fertilizer on potassium and nitrogen content and growth. R. F. Chandler, Jr. 19–42
APPLEMAN, C. O., and SMITH, C. L.: Effect of Previous Cold Storage on the Respiration of Vegetables at Higher Temperatures 557–580
Apples—
Jonathan, total soluble solids and catalase, distribution in different parts. Paul L. Harding 43–48
protection against Japanese beetle, experiments 200–201
size, effect on vitamin C content 549–550
storage temperatures, effect on vitamin C content 551
vitamin C content, factors affecting. E. L. Batchelder and E. L. Overholser 547–551

Page

Arsenicals, effectiveness against Japanese beetle, experiments 187–195
ARTSCHWAGER, ERNST, and STARRETT, RUTH C.: Histological and Cytological Changes in Sugar Beet Seedlings Affected with Curly Top 637–657

Bacterial wilt. *See* Wilt, bacterial.
BAKER, FRANCIS E., and FLEMING, WALTER E.—
A Method for Estimating Populations of Larvae of the Japanese Beetle in the Field 319–347
Derris as a Japanese Beetle Repellent and Insecticide 197–207
Paris Green and Its Homologues as Insecticides against the Japanese Beetle 187–195
BAKER, FRANCIS E., FLEMING, WALTER, and KOBLITSKY, LOUIS: The Insecticidal Action of Acid Lead Arsenate on the Larvae of the Japanese Beetle in Different Types of Soil 771–779
Bangs' disease, study in udderless cows 225–232
Bark beetles in pines, association with *Zygosaccharomyces pini*, a new species of yeast. Eugene C. Holst 513–518
Barley—
disease reaction and yield, influence of environment during maturation. B. B. Bayles 717–748
seedlings, susceptibility to *Gibberella saubinetii*, experiments and results 722–738, 740–745
susceptibility to *Cercosporella herpotrichoides*, experiments 661, 662, 665
yields, effect of environment on, studies 717–738, 740–748
BATCHELDER, E. L., and OVERHOLSER, E. L.: Factors Affecting the Vitamin C Content of Apples 547–551
BAYLES, B. B.: Influence of Environment during Maturation on the Disease Reaction and Yield of Wheat and Barley 717–748
Beans—
lima, carbon dioxide storage effects, experiments 3–6, 8–9, 14
reaction to legume mosaic viruses 178–180
yields and iodine content, influence of iodine fertilization on, studies 795–797
Beef—
lean—
dried raw, cooked, and autoclaved, vitamin B determinations 422–427, 431
dried raw, cooked, and autoclaved, vitamin G determinations 429, 430, 431
protein in, nutritive value, comparison with calf lungs, cow udders, and hog spleens 349–354
vitamin B and G content, influence of cooking and canning on. F. W. Christensen, Esther Latzke, and T. H. Hopper 415–432
scrap, effect on production and hatchability of eggs 455–465
Beets—
annual habit—
dominance and inheritance, experiments 498–503
genetic factor and linkage relationship. F. A. Abegg 493–511
linkage relationship 504–509

Beets—Continued. Page
respiratory responses after cold storage, experiments 557, 559–561, 565–566, 576, 578
See also Sugar beets.
BENNETT, C. W., and ESAU, KATHERINE: Further Studies on the Relation of the Curly Top Virus to Plant Tissues 595–620
BENNETT, L. S.: Studies on the Inheritance of Resistance to Wilt (*Fusarium niveum*) in Watermelon 295–306
Benzene extracts of—
cube roots, determinations 831–838
derris, determination 831–838
Beta vulgaris. *See* Beets; Sugar beet; Sugar beets.
BIEBEL, J. P., and WITHROW, ROBERT B.: A Subirrigation Method of Supplying Nutrient Solutions to Plants Growing under Commercial and Experimental Conditions 693–701
Black point of wheat. *See* Wheat, black point.
Blood—
meal, effect on production and hatchability of eggs, experiments 455–458, 460–465
of cattle, in health and during anaplasmosis, morphological and chemical studies. Charles W. Rees and Maurice W. Hale 477–492
serum of swine, calcium and inorganic phosphorus content of. E. H. Hughes 267–279
BOGART, RALPH, and WHITNAH, C. H.: Reproductive Capacity of Female Rats as Affected by Kinds of Carbohydrates in the Ration 527–532
BONNETT, O. T.: The Development of the Wheat Spike 445–451
BRASHER, EUGENE P., and MACK, WARREN B.: The Influence of Commercial Fertilizers, Potassium Iodide, and Soil Acidity on the Iodine Content of Certain Vegetables 789–800
BRIERLEY, PHILIP, and MCWHORTER, FRANK P.: A Mosaic Disease of Iris 621–635
Broadbean, reactions to legume viruses 180
BROWN, B. E., PHILLIPS, M., GOSS, M. J., and REID, F. R.: The Ammoniation of Waste Sulphite Liquor and Its Possible Utilization as a Fertilizer Material 209–224
Brucella abortus, effect in udderless cows, study. B. H. Edgington 225–233
Bulls, blood, in health and during anaplasmosis, morphological and chemical studies 477–492
Bunt, reaction of wheat varieties to, experiments 738–740
BYERLY, T. C., TITUS, HARRY W., ELLIS, N. R., and NESTLER, R. B.: Effect of Packing-House Byproducts, in the Diet of Chickens, on the Production and Hatchability of Eggs 453–465

Cajanus indicus—
protein of, nutritive value. Carey D. Miller and Ruth C. Robbins 281–293
seed meal, cooked and uncooked, growth responses of rats fed with 283–292
Calcium content of blood serum of swine. E. H. Hughes 267–279
Calf lungs, protein in, nutritive value. Ralph Hoagland and George G. Snider 349–355
Canning, lean beef and pork, influence on vitamin B and G content. F. W. Christensen, Esther Latzke, and T. H. Hopper 415–432
Carbohydrates—
in ration, effect on reproductive capacity of female rats. C. H. Whitnah and Ralph Bogart 527–532
of fruits and vegetables in storage, effect of carbon dioxide on. Erston V. Miller and Oscar J. Dowd 1–17
Carbon dioxide, effect on carbohydrates and acidity of fruits and vegetables in storage. Erston V. Miller and Oscar J. Dowd 1–17
Carotene content of certain feed materials, relation of vitamin A potency. G. S. Fraps, Ray Treichler, and A. R. Kemmerer 713–716
Carrots—
carbon dioxide storage effects, experiments 3–4, 8–11, 14
respiratory responses after cold storage, experiments 557, 559–561, 570–573, 576, 578
Caryopsis in maize, developmental morphology. L. F. Randolph 881–916
Catalase, distribution in different parts of Jonathan apples, experiments 43–45, 47
Cattle—
blood, in health and during anaplasmosis, morphological and chemical studies. Charles W. Rees and Maurice W. Hale 477–492
digestive tract, viability of sclerotia of *Sclerotium rolfsii* after passage through. L. D. Leach and S. W. Mead 519–526
Cauliflower—
inoculation with *Phytophthora megasperma*. phytophthora root rot. C. M. Tompkins, C. M. Tucker, and M. W. Gardner 689–692
Cercosporella foot rot, occurrence on Gramineae species, experiments 660–668
Cercosporella herpotrichoides, susceptibility of certain species of Gramineae to. Roderick Sprague 659–670
Cereals, susceptibility to *Cercosporella herpotrichoides*, experiments 659–668
CHANDLER, R. F., Jr.: Absorption, Distribution, and Seasonal Movement in Young Apple Trees and the Effect of Potassium Fertilizer on Potassium and Nitrogen Content and Growth of Trees 19–42
Cherries, carbon dioxide storage effects, experiments 3–4, 9, 14, 15
Chickens—
composition, physical and chemical, effect of diet, range, and fattening on. H. M. Harshaw 357–368
diet—
of packing-house byproducts, effect on production and hatchability of eggs. Harry W. Titus, T. C. Byerly, N. R. Ellis, and R. B. Nestler 453–465
range, and fattening, effect on physical and chemical composition 357–368
Chicks—
Salmonella pullorum in, rough variants from. H. C. Gauger 235–238
uropygial gland of, relation to vitamin D deficiency, experimental study. Elizabeth F. Murphy 67–71
vitamin D deficiency, relation to uropygial gland, experimental study. Elizabeth F. Murphy 67–71
CHRISTENSEN, F. W., LATZKE, ESTHER, and HOPPER, T. H.: The Influence of Cooking and Canning on the Vitamin B and G Content of Lean Beef and Pork 415–432
CHRISTENSON, L. DEAN, and TAUBENHAUS, J. J.: Role of Insects in the Distribution of Cotton Wilt Caused by *Fusarium vasinfectum* 703–712
Citron—
chemical composition and fermentation studies. C. R. Fellers and E. G. Smith 859–867
fermented—
peel, vitamin C content 863–865
preserving methods 861–862
fresh green—
chemical composition 862–863
vitamin A content 865–866
vitamin C content 863–865
preserved—
chemical composition 862–863
vitamin A content 865–866
unripe, fermentation studies 859–861
Citrullus vulgaris, inheritance of resistance to wilt (*Fusarium niveum*), studies 295–305
Citrus medica. *See* Citron.
Clover—
alsike, mosaic, symptoms on alsike clover and pea 171–172
red, mosaic, symptoms on red clover and pea 169–170
white, mosaic, symptoms on white clover and pea 170
See also Sweetclover.
Cockerels, diet, range, and fattening, effect on physical and chemical composition. H. M. Harshaw 357–368
Cold storage, previous, of vegetables, effect on respiration at higher temperatures. C. O. Appleman and C. L. Smith 557–580
Conifers, lethal high temperatures for and cooling effect of transpiration. Hardy L. Shirley 239–258

Page

Cooking, lean beef and pork, influence on vitamin B and G content. F. W. Christensen, Esther Latzke, and T. H. Hopper. 415-432
Copper arsenites, effectiveness against Japanese beetle, experiments 187-194
Corn—
canned after carbon dioxide treatment, effects 6-8
caryopsis in, developmental morphology 881-916
crosses, resistance to bacterial wilt, studies 927-952
dent, open-pollinated varieties, resistance to bacterial wilt. S. S. Ivanoff 917-926
flint, open-pollinated varieties, resistance to bacterial wilt. S. S. Ivanoff 917-926
inbred strains, resistance to bacterial wilt, studies 927-952
meal, protein in, nutritive value, comparison with meat byproducts 350-355
susceptibility to bacterial wilt, experiments 917-925
sweet—
carbon dioxide storage effects, experiments 1, 3-8, 12, 14
inbred strains and crosses, resistance to bacterial wilt. S. S. Ivanoff and A. J. Riker 927-954
iodine content, influence of fertilizer treatment and soil acidity on 792, 794, 795
open-pollinated varieties, resistance to bacterial wilt. S. S. Ivanoff 917-926
susceptibility to bacterial wilt, tests 917-925, 927-953
See also Maize.
Cotton—
fiber—
length, variability in relatively uniform strain. T. R. Richmond and H. J. Fulton 749-763
length, variation, sources 757-760, 761-762
sorters, types 749, 760-762
fibers, measurement methods, comparison 750
strain, relatively uniform, variability of fiber length. T. R. Richmond and H. J. Fulton 749-763
wilt caused by *Fusarium vasinfectum*, role of insects in distribution. J. J. Taubenhaus and L. Dean Christenson 703-712
Cottonseed—
fibers, mean length and standard deviation of, calculations 751-756, 760-762
oil green, effectiveness against Japanese beetle, experiments 187-194
oil, value for frying potato chips, experiments 371-380
Cow udders, protein in, nutritive value. Ralph Hoagland and George G. Snider 349-355
Cows—
digestive tract, viability of sclerotia of *Sclerotium rolfsii* after passage through 519-526
infection with *Brucella abortus*, study 225-232
udderless, effect of *Brucella abortus* in, study. B. H. Edgington 225-233
CRANDALL, BOWEN S., and LAMBERT, EDMUND B.: A Seedling Wilt of Black Locust Caused by *Phytophthora parasitica* 467-476
Cube root, acetone and benzene extracts of, determinations 831-838
Cube roots, extracts of, optical rotatory power. Howard A. Jones 831-839
Curly top virus, relation to plant tissues, further studies. C. W. Bennett and Katherine Esau 595-620
Cystine, content of pigeonpeas, nutritive value 285-291

Dahlia roots, respiratory responses after cold storage, experiments 557, 559-561, 574-575, 578
Darkness, effects on flax rust development during incubation period 113-116
DARNELL, M. C., Jr., and EISENMENGER, W. S.: Oxidation-Reduction Potentials of Soil Suspensions in Relation to Acidity and Nitrification 73-80
Deguelin, effectiveness as—
insecticide against Japanese beetle, experiments 197-200
repellent against Japanese beetle, experiments 199-203

Delphinium— Page
Erysiphe polygoni on, cytological study. Ruth F. Allen 801-818
mildew—
studies 801-815
See also *Erysiphe polygoni*.
Dendroctonus spp., association with *Zygosaccharomyces pini*, a new species of yeast in pines 513-517
Derris—
acetone and benzene extracts of, determinations 831-838
as a Japanese beetle repellent and insecticide. Walter E. Fleming and Francis E. Baker 197-207
exposure to ultraviolet light, effects 201-203
extracts, optical rotatory power. Howard A. Jones 831-839
mixtures, effect upon repellency to Japanese beetle 203-204
Diet—
chickens, packing-house byproducts, effect on production and hatchability of eggs. Harry W. Titus, T. C. Byerly, N. R. Ellis, and R. B. Nestler 453-465
cockerels, effect on physical and chemical composition, experiments 357-368
high and low calcium, effect on serum calcium and inorganic phosphorus of swine 270-278
meat-fish-milk supplement, effect on production and hatchability of eggs, experiments 455-465
Digestibility, apparent, of green and cured grass, determination by modified procedures. J. C. Knott, H. K. Murer, and R. E. Hodgson 553-556
Diplodia—
aversion, intraspecific and interspecific. Paul E. Hoppe 671-680
zeae—
mixed strains, inoculation experiments 675-677, 678-679
strains, number and distribution 674
strains, stability of aversion reactions 671-674
DOWD, OSCAR J., and MILLER, ERSTON V.: Effect of Carbon Dioxide on the Carbohydrates and Acidity of Fruits and Vegetables in Storage 1-17
Dwarfing in wheat, complementary factors, inheritance. V. H. Florell and J. Foster Martin 151-160

EATON, FRANK M.: Automatically Operated Sand-Culture Equipment 433-444
EDGINGTON, B. H.: A Study of the Effect of *Brucella abortus* in Udderless Cows 225-233
Eggs, production and hatchability, effect of diet of packing-house byproducts on. Harry W. Titus, T. C. Byerly, N. R. Ellis, and R. B. Nestler 453-465
Einkorn, susceptibility to *Cercosporella herpotrichoides*, experiments 661, 662-666
EISENMENGER, W. S., and DARNELL, M. C., Jr.: Oxidation-Reduction Potentials of Soil Suspensions in Relation to Acidity and Nitrification 73-80
ELLIS, N. R., KING, FLORANCE B., LOUGHLIN, ROSEMARY, and RIEMENSCHNEIDER, R. W.: The Relative Value of Various Lards and Other Fats for the Deep-Fat Frying of Potato Chips 369-381
ELLIS, N. R., TITUS, HARRY W., BYERLY, T. C., and NESTLER, R. B.: Effect of Packing-House Byproducts, in the Diet of Chickens, on the Production and Hatchability of Eggs 453-465
Emmer, susceptibility to *Cercosporella herpotrichoides*, experiments 661, 662-665, 667
Environment, influence on disease reaction and yield of wheat and barley during maturation. B. B. Bayles 717-748
Erwinia amylovora, toxicity of certain chemical agents to. G. W. Keitt, J. A. Pinckard, Luther Shaw, and A. J. Riker 307-317
Erysiphe polygoni—
mycelium of, investigations 801-802
on *Delphinium*, cytological study. Ruth F. Allen 801-818
perithecium development, investigations 802-815

Page

ESAU, KATHERINE, and BENNETT, C. W.: Further Studies on the Relation of the Curly Top Virus to Plant Tissues 595-620
Eutettix tenellus, feeding behavior, relation to pH gradient extending from phloem into parenchyma of sugar beet. J. M. Fife and V. L. Frampton 581-593

Fasciation of sweet peas caused by *Phytomonas fascians*, n. sp. Paul E. Tilford 383-394
Fats, relative value for deep-fat frying of potato chips. Florance B. King, Rosemary Loughlin, R. W. Riemenschneider, and N. R. Ellis 369-381
Feed materials, vitamin A potency, relation to carotene content. G. S. Fraps, Ray Treichler, and A. R. Kemmerer 713-716
FELLERS, C. R., and SMITH, E. G.: Chemical Composition and Fermentation Studies of Citron 859-867
FELLOWS, HURLEY: Nitrogen Utilization by *Ophiobolus graminis* 765-769
Fertilizer—
  effect on quality and chemical composition of canning peas. F. L. Musbach and Otto E. Sell 869-879
  material, utilization of waste sulphite liquor after ammoniation. M. Phillips, M. J. Goss, B. E. Brown, and F. R. Reid 209-224
Fertilizers—
  commercial, influence on iodine content of certain vegetables. Warren B. Mack and Eugene P. Brasher 789-800
  effect upon electrodialyzable and exchangeable potash of cropped soil. G. M. Gilligan 61-66
FIFE, J. M., and FRAMPTON, V. L.: The pH Gradient Extending from the Phloem into the Parenchyma of the Sugar Beet and Its Relation to the Feeding Behavior of *Eutettix tenellus* 581-593
Fish-oil green, effectiveness against Japanese beetle, experiments 187-190
Flax—
  morphology, relation to rust resistance, studies 96-107, 122-123
  resistance to *Melampsora lini*, nature of. E. G. Sharvelle 81-127
  rust—
    development, effect of nutrient salts on 119-121
    uredial types, histological study 87-90
    stomata, relation to rust resistance, studies 107-119, 123
    varieties—
      differing in reaction to rust, extracts from, urediospore germination in 91-96, 122
      susceptible and resistant to development of *Melampsora lini*, studies 83-90, 121-123
  wilt, effect on stomatal movement in relation to rust development 116-117
FLEMING, WALTER E., and BAKER, FRANCIS E.—
  A Method for Estimating Populations of Larvae of the Japanese Beetle in the Field 319-347
  Derris as a Japanese Beetle Repellent and Insecticide 197-207
  Paris Green and Its Homologues as Insecticides against the Japanese Beetle 187-195
FLEMING, WALTER E., BAKER, FRANCIS E., and KOBLITSKY, LOUIS: The Insecticidal Action of Acid Lead Arsenate on the Larvae of the Japanese Beetle in Different Types of Soil 771-779
FLORELL, V. H., and MARTIN, J. FOSTER: Inheritance of Complementary Dwarfing Factors in Wheat 151-160
FRAMPTON, V. L., and FIFE, J. M.: The pH Gradient Extending from the Parenchyma of the Sugar Beet and Its Relation to the Feeding Behavior of *Eutettix tenellus* 581-593
FRAPS, G. S., TREICHLER, RAY, and KEMMERER, A. R.: Relation of the Carotene Content of Certain Feed Materials to Their Vitamin A Potency 713-716

Page

Fruits in storage, carbohydrates and acidity of, effect of carbon dioxide on. Erston V. Miller and Oscar J. Dowd 1-17
Frying, deep-fat, of potato chips, relative value of various lards and other fats for. Florance B. King, Rosemary Loughlin, R. W. Riemenschneider, and N. R. Ellis 369-381
FULTON, H. J., and RICHMOND, T. R.: Variability of Fiber Length in a Relatively Uniform Strain of Cotton 749-763
Fungi, intraspecific and interspecific, aversion, experiments 671-679
Fusarium niveum, resistance in watermelon, inheritance studies. L. S. Bennett 295-306
Fusarium vasinfectum—
  cause of cotton wilt, role of insects in distribution. J. J. Taubenhaus and L. Dean Christenson 703-712
  distribution by insects, experiments 703-712
  recovery from—
    cotton boll-feeding insects 710
    root-feeding insects 705-706
    stem- and leaf-feeding insects 706-710

GARDNER, M. W., TOMPKINS, C. M., and TUCKER, C. M.: Phytophthora Root Rot of Cauliflower 685-692
GARDNER, WILLARD: The Role of the Capillary Potential in the Dynamics of Soil Moisture 57-60
GAUGER, H. C.: Rough *Salmonella pullorum* Variants from Chicks 235-238
GERSDORFF, W. A.: Relative Toxic Action of Phenol and Phenyl Mercaptan, When the Goldfish Is Used as the Test Animal 841-847
Gibberella saubinetii, cause of seedling blight in barley and wheat, reactions and experiments 722-738, 740-745
GILLIGAN, G. M.: The Effect of Fertilizers and Lime upon the Electrodializable and Exchangeable Potash of Cropped Soil 61-66
Goldfish, use as test in showing relative toxic action of phenol and phenyl mercaptan. W. A. Gersdorff 841-847
Goss, M. J., PHILLIPS, M., BROWN, B. E., and REID, F. R.: The Ammoniation of Waste Sulphite Liquor and Its Possible Utilization as a Fertilizer Material 209-224
Gramineae, certain species, relative susceptibility to *Cercosporella herpotrichoides*. Roderick Sprague 659-670
Grass, green and cured, apparent digestibility, determination by modified procedures. J. C. Knott, H. K. Murer, and R. E. Hodgson 553-556
Grasses, susceptibility to *Cercosporella herpotrichoides*, experiments 659-668
Grasshoppers, distribution of cotton wilt, experiments 707-708, 709-711
Green bug, development-temperature correlation in. F. M. Wadley 259-266

Hagerstown clay loam soil, differentially fertilized, and planted to apple trees in cylinders, distribution and condition of potassium in. Walter Thomas 533-546
HALE, MAURICE W., and REES, CHARLES W.: Morphological and Chemical Studies of the Blood of Cattle in Health and during Anaplasmosis 477-492
HARDING, PAUL L.: Distribution of Total Soluble Solids and Catalase in Different Parts of Jonathan Apples 43-48
HARSHAW, H. M.: Effect of Diet, Range, and Fattening on the Physical and Chemical Composition of Cockerels 357-368
Hay—
  alfalfa, vitamin A content, effect of storage upon. Margaret Cammack Smith 681-684
  peanut, carotene content, relation to vitamin A potency 713-716
Heat—
  dry, exposure of conifers to, experiments 253-257
  moist, exposure of conifers to, experiments 245-248, 251-252, 254-257
Heifers, feeding with green and cured grass for digestibility, experiments 553-554

Page

Helminthosporium sativum, cause of black point disease of wheat ... 781–782
HOAGLAND, RALPH, and SNIDER, GEORGE G.: Nutritive Value of the Protein in Calf Lungs, Cow Udders, and Hog Spleens ... 349–355
HODGSON, R. E., KNOTT, J. C., and MURER, H. K.: The Determination of the Apparent Digestibility of Green and Cured Grass by Modified Procedures ... 553–556
Hog spleens, protein in, nutritive value. Ralph Hoagland and George G. Snider ... 349–355
HOLST, EUGENE C.: *Zygosaccharomyces pini*, a New Species of Yeast Associated with Bark Beetles in Pines ... 513–518
HOPPE, PAUL E.: Intraspecific and Interspecific Aversion in *Diplodia* ... 671–680
HOPPER, T. H., CHRISTENSEN, F. W., and LATZKE, ESTHER: The Influence of Cooking and Canning on the Vitamin B and G Content of Lean Beef and Pork ... 415–432
Hothouses, sand cultures for, uses ... 441–442
Hydrogen-ion gradient, extension from phloem into parenchyma of sugar beet and relation to feeding behavior of *Eutettix tenellus*. J. M. Fife and V. L. Frampton ... 581–593

Inheritance of—
  annual character in beets, experiments ... 494–510
  complementary dwarfing factors in wheat. V. H. Florell and J. Foster Martin ... 151–160
  resistance to wilt (*Fusarium niveum*) in watermelon, studies. L. S. Bennett ... 295–306
  vigor and growth rate in corn and corn hybrids ... 819–829
Insecticide, Japanese beetles, derris as. Walter E. Fleming and Francis E. Baker ... 197–207
Insecticides, Japanese beetle, Paris green and its homologues as. Walter E. Fleming and Francis E. Baker ... 187–195
Insects, role in distribution of cotton wilt caused by *Fusarium vasinfectum*. J. J. Taubenhaus and L. Dean Christenson ... 703–712
Iodine content, of certain vegetables, influence of commercial fertilizers, potassium iodide, and soil acidity. Warren B. Mack and Eugene P. Brasher ... 789–800
Ips spp., association with *Zygosaccharomyces pini*, a new species of yeast in pines ... 513–517
Iris, mosaic disease. Philip Brierley and Frank P. McWhorter ... 621–635
Irises—
  bulbous, mosaic disease of, symptoms ... 621–624
  mosaic-affected, cellular changes in ... 625–628
  mosaic disease—
    host range ... 633–634
    transmission tests ... 628–634
  nonbulbous, mosaic disease of, symptoms ... 625
IVANOFF, S. S.—
  Resistance to Bacterial Wilt of Open-Pollinated Varieties of Sweet, Dent, and Flint Corn ... 917–926
  and RIKER, A. J.: Resistance to Bacterial Wilt of Inbred Strains and Crosses of Sweet Corn ... 927–954

Japanese beetle—
  insecticides, Paris green and its homologues as. Walter E. Fleming and Francis E. Baker ... 187–195
  larvae—
    in Coastal Plain soils, effect of acid lead arsenate on, experiments ... 772–774
    in different types of soil, effect of insecticidal action of acid lead arsenate on. Walter E. Fleming, Francis E. Baker, and Louis Koblitsky ... 771–779
    in limestone valley soils, effect of acid lead arsenate on, experiments ... 772
    in Piedmont Plateau soils, effect of acid lead arsenate on, experiments ... 772
    in soils of glaciated regions, effect of acid lead arsenate on, experiments ... 771–772
    populations in the field, estimation method. Walter E. Fleming and Francis E. Baker ... 319–347
  repellent and insecticide, value of derris as. Walter E. Fleming and Francis E. Baker ... 197–207

Page

JONES, HOWARD A.: The Optical Rotatory Power of Extracts of Derris and Cube Roots ... 831–839

KEITT, G. W., PINCKARD, J. A., SHAW, LUTHER, and RIKER, A. J.: The Toxicity of Certain Chemical Agents to *Erwinia amylovora* ... 307–317
KEMMERER, A. R., FRAPS, G. S., and TREICHLER, RAY: Relation of the Carotene Content of Certain Feed Materials to Their Vitamin A Potency ... 713–716
KING, FLORANCE B., LOUGHLIN, ROSEMARY, RIEMENSCHNEIDER, R. W., and ELLIS, N. R.: The Relative Value of Various Lards and Other Fats for the Deep-Fat Frying of Potato Chips ... 369–381
KNOTT, J. C., MURER, H. K., and HODGSON, R. E.: The Determination of the Apparent Digestibility of Green and Cured Grass by Modified Procedures ... 553–556
KOBLITSKY, LOUIS, FLEMING, WALTER E., and BAKER, FRANCIS E.: The Insecticidal Action of Acid Lead Arsenate on the Larvae of the Japanese Beetle in Different Types of Soil ... 771–779

Lactose, effect upon reproductive capacity of rats, experiments ... 528–532
LAMB, C. A., and SALTER, ROBERT M.: Response of Wheat Varieties to Different Fertility Levels ... 129–143
LAMBERT, EDMUND B., and CRANDALL, BOWEN S.: A Seedling Wilt of Black Locust Caused by *Phytophthora parasitica* ... 467–476
Lards, relative value for deep-fat frying of potato chips. Florance B. King, Rosemary Loughlin, R. W. Riemenschneider, and N. R. Ellis ... 369–381
Larvae, of Japanese beetle, in different types of soil, effect of insecticidal action of acid lead arsenate on. Walter E. Fleming, Francis E. Baker, and Louis Koblitsky ... 771–779
LATZKE, ESTHER, CHRISTENSEN, F. W., and HOPPER, T. H.: The Influence of Cooking and Canning on the Vitamin B and G Content of Lean Beef and Pork ... 415–432
LEACH, L. D., and MEAD, S. W.: Viability of Sclerotia of *Sclerotium rolfsii* after Passage through the Digestive Tract of Cattle and Sheep ... 519–526
Lead arsenate, acid—
  coefficients of effectiveness in different soil types, determination ... 774–775
  insecticidal action—
    correlation with certain soil constituents ... 775–778
    on Japanese beetle larvae in different types of soil. Walter E. Fleming, Francis E. Baker, and Louis Koblitsky ... 771–779
Leaf rust of wheat accompanied by heat, effect upon yield, kernel weight, bushel weight, and protein content of hard red spring wheat. L. R. Waldron ... 399–414
Legume mosaic viruses—
  differentiation ... 177–180
  relation of pea mosaic to. W. J. Zaumeyer and B. L. Wade ... 161–185
Light, exclusion during incubation period of flax rust, effect on rust development ... 113–116
Lime, effect upon electrodialyzable and exchangeable potash of cropped soil. G. M. Gilligan ... 61–66
LOCKWOOD, L. B., WARD, G. E., and MAY, O. E.: The Physiology of *Rhizopus oryzae* ... 849–857
Locust, black, seedling wilt—
  caused by *Phytophthora parasitica*. Edmund B. Lambert and Bowen S. Crandall ... 467–476
  control measures ... 473–476
  symptoms ... 467–469
LOUGHLIN, ROSEMARY, KING, FLORANCE B., RIEMENSCHNEIDER, R. W., and ELLIS, N. R.: The Relative Value of Various Lards and Other Fats for the Deep-Fat Frying of Potato Chips ... 369–381
Lungs, calf, protein in, nutritive value. Ralph Hoagland and George G. Snider ... 349–355

Page

MACK, WARREN B., and BRASHER, EUGENE P.: The Influence of Commercial Fertilizers, Potassium Iodide, and Soil Acidity on the Iodine Content of Certain Vegetables.. 789–800

Maize—
- antipodal tissue, development, description.. 902–905
- caryopsis, developmental morphology. L. F. Randolph.. 881–916
- cross, and its reciprocal, hybrid vigor and growth rates in. G. F. Sprague.. 819–830
- embryogeny, description.. 890–897
- endosperm, formation, description.. 897–902
- integuments, development, description.. 906–908
- nucellar membrane, development, description.. 908–909
- ovary and ovule, development, description.. 886–887
- pericarp development, description.. 909–911
- pistil—
  - development, description.. 885–886
  - transformation into caryopsis, description.. 887–890
- pistillate spikelet development, description.. 883–884
- *See also* Corn.

Manure, effect upon electrodialyzable and exchangeable potash of cropped soil, experiments.. 61–63

MARTIN, J. FOSTER, and FLORELL, V. H.: Inheritance of Complementary Dwarfing Factors in Wheat.. 151–160

Maturation, in wheat and barley, influence of environment on disease reaction and yield. B. B. Bayles.. 717–748

MAY, O. E., LOCKWOOD, L. B., and WARD, G. E.: The Physiology of *Rhizopus oryzae*.. 849–857

MCWHORTER, FRANK P., and BRIERLEY, PHILIP: A Mosaic Disease of Iris.. 621–635

MEAD, S. W., and LEACH, L. D.: Viability of Sclerotia of *Sclerotium rolfsii* after Passage through the Digestive Tract of Cattle and Sheep.. 519–526

Meat—
- byproducts, protein in, nutritive value.. 349–355
- cooking and canning, effects on vitamin content, experiments.. 418–431
- meal, effect on production and hatchability of eggs, experiments.. 453–465

Melampsora lini—
- development in susceptible and resistant varieties of flax.. 83–90, 121–123
- resistance of flax to, nature of. E. G. Sharvelle.. 81–127

MILLER, CAREY D., and ROBBINS, RUTH C.: Nutritive Value of the Protein of *Cajanus indicus*.. 281–293

MILLER, ERSTON V.: Distribution of Acetaldehyde and Alcohol in the Apple Fruit.. 49–55

MILLER, ERSTON V., and DOWD, OSCAR J.: Effect of Carbon Dioxide on the Carbohydrates and Acidity of Fruits and Vegetables in Storage.. 1–17

Millet, yields obtained with ammoniated waste sulphite liquor, experiments.. 218–223

Mosaic—
- disease of iris. Philip Brierley and Frank P. McWhorter.. 621–635
- viruses—
  - legume, relation of pea mosaic to. W. J. Zaumeyer and B. L. Wade.. 161–185
  - symptoms, studies.. 168–172, 183, 184

Mottle-leaf, orange-tree leaves and twigs, specific effects of zinc applications on. H. S. Reed and E. R. Parker.. 395–398

MURER, H. K., KNOTT, J. C., and HODGSON, R. E.: The Determination of the Apparent Digestibility of Green and Cured Grass by Modified Procedures.. 553–556

MURPHY, ELIZABETH F.: An Experimental Study of the Relation between the Uropygial Gland and Vitamin D Deficiency in Chicks.. 67–71

MUSBACH, F. L., and SELL, OTTO E.: Effect of Fertilizer on Quality and Chemical Composition of Canning Peas.. 869–879

Page

NESTLER, R. B., TITUS, HARRY W., BYERLY, T. C., and ELLIS, N. R.: Effect of Packing-House Byproducts, in the Diet of Chickens, on the Production and Hatchability of Eggs.. 453–465

Nitrification, soils, relation to oxidation-reduction potentials of soil suspensions. M. C. Darnell, Jr., and W. S. Eisenmenger.. 73–80

Nitrogen—
- content of apple trees, effect of potassium fertilizer on, experiments.. 34–38, 40–41
- produced by ammoniation of waste sulphite liquor, fertilizer value.. 217–223
- utilization by *Ophiobolus graminis*. Hurley Fellows.. 765–769

Nutrient solutions, supplying to plants growing under commercial and experimental conditions, subirrigation method. Robert B. Withrow and J. P. Biebel.. 693–701

Nutritive value of protein in calf lungs, cow udders, and hog spleens. Ralph Hoagland and George G. Snider.. 349–355

Oats, susceptibility to *Cercosporella herpotrichoides*, experiments.. 661, 664–665, 668

Oils, value for frying potato chips, experiments.. 371–380

Onions, respiratory responses after cold storage, experiments.. 557, 559–561, 573–574, 578–579

Ophiobolus graminis—
- cause of take-all disease of wheat, studies.. 765–769
- nitrogen utilization of. Hurley Fellows.. 765–769

Orange trees, leaves and twigs affected with mottle-leaf, specific effects of zinc applications on. H. S. Reed and E. R. Parker.. 395–398

OVERHOLSER, E. L., and BATCHELDER, E. L.: Factors Affecting the Vitamin C Content of Apples.. 547–551

Packing-house byproducts, in diet of chickens, effect on production and hatchability of eggs. Harry W. Titus, T. C. Byerly, N. R. Ellis, and R. B. Nestler.. 453–465

Paris green and its homologues as insecticides against Japanese beetle. Walter E. Fleming and Francis E. Baker.. 187–195

PARKER, E. R., and REED, H. S.: Specific Effects of Zinc Applications on Leaves and Twigs of Orange Trees Affected with Mottle-Leaf.. 395–398

Parsnips, respiratory responses after cold storage, experiments.. 557, 559–561, 567–570, 576, 578

Pea—
- mosaic—
  - and its relation to other legume mosaic viruses. W. J. Zaumeyer and B. L. Wade.. 161–185
  - distribution and economic importance.. 162–163
  - symptoms on peas.. 169
  - virus, transmission, experiments.. 180–182
  - skins, chemical composition, analyses.. 872–875, 878

Peaches, carbon dioxide storage effects, experiments.. 3–4, 9, 10, 14, 15

Peanut—
- hay, carotene content, relation to vitamin A potency.. 714–716
- oil, value for frying potato chips, experiments.. 371–380

Peas—
- canned, quality after storing.. 870–872
- canning, quality and chemical composition, effect of fertilizer on. F. L. Musbach and Otto E. Sell.. 869–879
- carbon dioxide storage effects, experiments.. 1, 3–4, 12, 14
- varietal resistance and susceptibility to legume mosaic viruses, study.. 172–177, 182–183
- whole, chemical composition, analyses.. 875–877, 878

pH gradient, extension from phloem into parenchyma of sugar beet, effects on feeding behavior of *Eutettix tenellus*. J. M. Fife and V. L. Frampton.. 581–593

Page

Phenol, toxic action, tests on goldfish. W. A. Gersdorff 841-847
Phenyl mercaptan, toxic action, tests on goldfish. W. A. Gersdorff 841-847
PHILLIPS, M., Goss, M. J., BROWN, B. E., and REID, F. R.: The Ammoniation of Waste Sulphite Liquor and Its Possible Utilization as a Fertilizer Material 209-224
Phloem tissue, invasion by curly top virus, tests 595-620
Phosphorus, inorganic, content of blood serum of swine. E. H. Hughes 267-279
Phytomonas fascians, n. sp. —
cause of fasciation of sweet peas. Paul E. Tilford 383-394
technical description 393
Phytomonas stewarti, cause of bacterial wilt of corn 917, 927
Phytophthora megasperma—
cause of root rot of cauliflower 685-691
host range, experiments 690-691
Phytophthora parasitica—
cause of seedling wilt of black locust. Edmund B. Lambert and Bowen S. Crandall 467-476
description and pathological histology 470-472
epidemiology and geographic distribution 473
isolation and inoculation experiments 469-470
Phytophthora root rot of cauliflower. C. M. Tompkins, C. M. Tucker, and M. W. Gardner 685-692
Pigeonpea, protein of, nutritive value 281-292
Pigeonpea-seed meal, feeding to rats, experiments 283-292
Pigs, serum calcium and inorganic phosphorus of, at different ages 268-270
PINCKARD, J. A., KEITT, G. W., SHAW, LUTHER, and RIKER, A. J.: The Toxicity of Certain Chemical Agents to *Erwinia amylovora* 307-317
Pine—
jack, lethal temperatures and effects of transpiration on, investigations 243-257
loblolly, seedlings, root growth 145-149
Norway, lethal temperatures and effects of transpiration on, investigations 243-257
shortleaf, seedlings, root growth 145-149
southern, root growth studies 145-149
white, lethal temperatures and effects of transpiration on, investigations 243-257
Pines, bark beetles in, association with *Zygosaccharomyces pini*, a new species of yeast. Eugene C. Holst 513-518
Pinus—
echinata, seedlings, root growth. Lewis M. Turner 145-149
taeda, seedlings, root growth. Lewis M. Turner 145-149
Plant—
nutrients, supplying by subirrigation method, experiments 693-700
tissues, relation of curly top to, further studies. C. W. Bennett and Katherine Esau 595-620
Plants, subirrigation method of supplying nutrient solutions to when grown under commercial and experimental conditions. Robert B. Withrow and J. P. Biebel 693-701
Plums, carbon dioxide storage effects, experiments 3-4, 10-11, 15
Poisons, stomach, effectiveness against Japanese beetle, experiments 187-195
Popillia japonica. *See* Japanese beetle.
Pork, lean—
dried raw, cooked—
and autoclaved, vitamin B determinations 420-422, 426-427, 431
and autoclaved, vitamin G determinations 428-429, 431
vitamin B and G content, influence of cooking and canning on. F. W. Christensen, Esther Latzke, and T. H. Hopper. 415-432
Potash of cropped soil, electrodialyzable and exchangeable, effect of fertilizers and lime upon. G. M. Gilligan 61-66

Potassium—
Page
absorption, distribution, and seasonal movement in young apple trees, and effect of potassium fertilizer on potassium and nitrogen content and growth of trees. R. F. Chandler, Jr 19-42
content of apple trees, effect of potassium fertilizer on, experiments 23-33, 39-41
distribution and condition in differentially fertilized Hagerstown clay loam soil planted to apple trees in cylinders. Walter Thomas 533-546
fertilizer, effect on potassium and nitrogen content and growth of young apple trees, and absorption, distribution, and seasonal movement of potassium in trees. R. F. Chandler, Jr 19-42
iodide, influence on iodine content of certain vegetables. Warren B. Mack and Eugene P. Brasher 789-800
oleate, neutral, effectiveness against Japanese beetle, tests 197-199
Potato chips, deep-frying, relative value of various lards and other fats for. Florance B. King, Rosemary Loughlin, R. W. Riemenschneider, and N. R. Ellis 369-381
Potatoes—
iodine content, influence of fertilizer treatment and soil acidity on 792, 793, 794, 795
respiratory responses, after cold storage, experiments 557, 559-563, 576
Poultry, composition, physical and chemical, effect of diet, range, and fattening on 357-368
Preen gland, of chicks, relation to vitamin D deficiency, experimental study 67-71
Protein—
content of wheat, effect of leaf rust on, experiments 410-413
nutritive value in calf lungs, cow udders, and hog spleens 349-355
of *Cajanus indicus*, nutritive value. Carey D. Miller and Ruth C. Robbins 281-293
Puccinia triticina, accompanied by heat, effect upon hard red spring wheat 399-413
Pullets—
Single-Comb Rhode Island Red, feeding packing-house byproducts to, experiments 453-465
weight and health, effect of diet of packing-house byproducts on 462-463

RANDOLPH, L. F.: Developmental Morphology of the Caryopsis in Maize 881-916
Rapeseed-oil green, effectiveness against Japanese beetle, experiments 187-194
Ration, carbohydrates in, effect on reproductive capacity of female rats. C. H. Whitnah and Ralph Bogart 527-532
Rats—
female, reproductive capacity, effect of kinds of carbohydrates in ration. C. H. Whitnah and Ralph Bogart 527-532
growth responses when fed with cooked and uncooked *Cajanus indicus* seed meal. 283-292
REED, H. S., and PARKER, E. R.: Specific Effects of Zinc Applications on Leaves and Twigs of Orange Trees Affected with Mottle-Leaf 395-398
REES, CHARLES W., and HALE, MAURICE W.: Morphological and Chemical Studies of the Blood of Cattle in Health and during Anaplasmosis 477-492
Refrigeration, of vegetables, carbon dioxide as a supplement to 4-8
REID, F. R., PHILLIPS, M., Goss, M. J., and BROWN, B. E.: The Ammoniation of Waste Sulphite Liquor and Its Possible Utilization as a Fertilizer Material 209-224
Reproduction, capacity of female rats, effect of kinds of carbohydrates in ration. C. H. Whitnah and Ralph Bogart 527-532
Respiration of vegetables at higher temperatures, effect of previous cold storage on. C. O. Appleman and C. L. Smith 557-580

Page

Rhizopus oryzae—
metabolism tests 853–854, 855–856
organism, description 849
physiology. L. B. Lockwood, G. E. Ward, and O. E. May 849–857
RICHMOND, T. R., and FULTON, H. J.: Variability of Fiber Length in a Relatively Uniform Strain of Cotton 749–763
RIEMENSCHNEIDER, R. W., KING, FLORANCE B., LOUGHLIN, ROSEMARY, and ELLIS, N. R.: The Relative Value of Various Lards and Other Fats for the Deep-Fat Frying of Potato Chips 369–381
RIKER, A. J., and IVANOFF, S. S.: Resistance to Bacterial Wilt of Inbred Strains and Crosses of Sweet Corn 927–954
RIKER, A. J., KEITT, G. W., PINCKARD, J. A., and SHAW, LUTHER: The Toxicity of Certain Chemical Agents to *Erwinia amylovora* 307–317
ROBBINS, RUTH C., and Miller, CAREY D.: Nutritive Value of the Protein of *Cajanus indicus* 281–293
Robinia pseudoacacia. *See* Locust, black.
Root rot, phytophthora. See *Phytophthora megasperma*.
Rotenone—
content of derris and cube roots, determination from optical rotatory power 831–838
effectiveness as—
insecticide against Japanese beetle, experiments 197–200
repellent against Japanese beetle, experiments 199–203
exposure to ultraviolet light, effects 201–203
toxicity to goldfish, comparison with phenol and phenyl mercaptan 841–847
Rust, leaf, of wheat, accompanied by heat, effect upon yield, kernel weight, bushel weight, and protein content of hard red spring wheat. L. R. Waldron 399–414
Rye, susceptibility to *Cercosporella herpotrichoides*, experiments 661, 662–665, 668

Salmonella pullorum, in chicks, rough variants from. H. C. Gauger 235–238
SALTER, ROBERT M., and LAMB, C. A.: Response of Wheat Varieties to Different Fertility Levels 129–143
Salts, nutrient, effect on flax rust development 119–121
Sand-culture—
equipment—
automatically operated. Frank M. Eaton 433–444
description 433–440
operation 440–441, 444
uses, recommendations 441–442
solutions, composition 442–443
Sclerotium rolfsii, sclerotia of, viability after passage through digestive tract of cattle and sheep. L. D. Leach and S. W. Mead 519–526
Seedling blight, in wheat and barley varieties, experiments 722–738, 740–745
SELL, OTTO E., and MUSBACH, F. L.: Effect of Fertilizer on Quality and Chemical Composition of Canning Peas 869–879
Serum, blood, of swine, calcium and inorganic phosphorus content of. E. H. Hughes 267–279
SHARVELLE, E. G.: The Nature of Resistance of Flax to *Melampsora lini* 81–127
SHAW, LUTHER, KEITT, G. W., PINCKARD, J. A., and RIKER, A. J.: The Toxicity of Certain Chemical Agents to *Erwinia amylovora* 307–317
Sheep—
digestive tract, viability of sclerotia of *Sclerotium rolfsii* after passage through. L. D. Leach and S. W. Mead 519–526
feeding with green and cured grass for digestibility, experiments 553–556
SHIRLEY, HARDY L.: Lethal High Temperatures for Conifers, and the Cooling Effect of Transpiration 239–258
SMITH, C. L., and APPLEMAN, C. O.: Effect of Previous Cold Storage on the Respiration of Vegetables at Higher Temperatures 557–580

Page
SMITH, E. G., and FELLERS, C. R.: Chemical Composition and Fermentation Studies of Citron 859–867
SMITH, MARGARET CAMMACK: The Effect of Storage upon the Vitamin A Content of Alfalfa Hay 681–684
SNIDER, GEORGE G., and HOAGLAND, RALPH: Nutritive Value of the Protein in Calf Lungs, Cow Udders, and Hog Spleens 349–355
Soil—
acidity—
influence on iodine content of certain vegetables. Warren B. Mack and Eugene P. Brasher 789–800
relation to oxidation-reduction potentials. M. C. Darnell, Jr., and W. S. Eisenmenger 73–80
cropped, electrodialyzable and exchangeable potash of, effect of fertilizers and lime upon. C. M. Gilligan 61–66
fertility levels, response of wheat varieties to 129–142
moisture—
dynamics of capillary potential in. Willard Gardner 57–60
effect on alfalfa dwarf 337–338, 346
nitrification, relation to oxidation-reduction potentials of soil suspensions. M. C. Darnell, Jr., and W. S. Eisenmenger 73–80
suspensions, oxidation-reduction potentials in relation to acidity and nitrification. M. C. Darnell, Jr., and W. S. Eisenmenger 73–80
types, different, larvae of Japanese beetle in, insecticidal action of acid lead arsenate on. Walter E. Fleming, Francis E. Baker, and Louis Koblitsky 771–779
See also under specific series.
Solids, soluble, distribution in different parts of Jonathan apples, experiments 45–46, 47
Soybean-oil green, effectiveness against Japanese beetle, experiments 187–194
Spleens, hog, protein in, nutritive value. Ralph Hoagland and George G. Snider 349–355
SPRAGUE, G. F.: Hybrid Vigor and Growth Rates in a Maize Cross and Its Reciprocal 819–830
SPRAGUE, RODERICK: Relative Susceptibility of Certain Species of Gramineae to *Cercosporella herpotrichoides* 659–670
Spruce, white, lethal temperatures and effects of transpiration on, investigations 243–257
Starch, effect upon reproductive capacity of rats, experiments 528–532
STARRETT, RUTH C., and ARTSCHWAGER, ERNST: Histological and Cytological Changes in Sugar-Beet Seedlings Affected with Curly Top 637–657
Storage—
cold, previous, of vegetables, effect on respiration at higher temperatures. C. O. Appleman and C. L. Smith 557–580
hay, alfalfa, effect upon vitamin A content. Margaret Cammack Smith 681–684
Sucrose, effect upon reproductive capacity of rats, experiments 528–532
Sugar content of vegetables, relation to respiration after storage 576–578
Sugar beet—
curly top, relation of pH gradient to, studies 581–592
leaf hopper, feeding behavior 584–587
pH gradient, extension from phloem into parenchyma and its relation to feeding behavior of *Eutettix tenellus*. J. M. Fife and V. L. Frampton 581–593
root cells affected with curly top—
cytoplasmic changes 648–650, 653–654, 655, 656
inclusions 650–652, 655, 656
reaction of nucleus to 644–648, 653, 654–655
rootlets normal and affected with curly top—
cell division 642–644
structure 640–641, 652–653, 654
seed, anatomy 603–607
seedlings—
affected with curly top, histological and cytological changes. Ernst Artschwager and Ruth C. Starrett 637–657

Page

Sugar beet—Continued.
seedlings—continued.
callus and pseudocallus, development.. 641–642, 654
carbon dioxide treatment, experiments. 581–584
southern sclerotium rot of, spread by cattle and sheep, study 519–526
taproot, normal and affected with curly top, structure 639–640, 654
Sugar beets—
annual growth habit, genetic factor and linkage relationship 493–510
tissues and organs, relation of curly top virus to, studies 595–611, 616–620
See also Beets.
Sulphite liquor, waste, ammoniation and possible utilization as fertilizer material. M. Phillips, M. J. Goss, B. E. Brown, and F. R. Reid 209–224
Sweet peas, fasciation caused by *Phytomonas fascians*, n. sp. Paul E. Tilford 383–394
Sweetclover, white, mosaic of, symptoms on white sweetclover and pea 171
Sweetpotatoes, respiratory responses after cold storage, experiments 557, 559–561, 563–565, 576, 578
Swine, blood serum of, calcium and inorganic phosphorus content of. E. H. Hughes... 267–279

TAUBENHAUS, J. J., and CHRISTENSON, L. DEAN: Role of Insects in the Distribution of Cotton Wilt Caused by *Fusarium vasinfectum* 703–712
Temperature—
development correlation in the green bug, *Toxoptera graminum*. F. M. Wadley.. 259–266
relation to leaf rust of wheat, studies 401–402, 409–410
Temperatures—
higher, respiration of vegetables at, effect of previous cold storage on. C. O. Appleman and C. L. Smith 557–580
lethal high, for conifers, and cooling effect of transpiration. Hardy L. Shirley 239–258
THOMAS, WALTER: The Distribution and Condition of the Potassium in a Differentially Fertilized Hagerstown Clay Loam Soil Planted to Apple Trees in Cylinders 533–546
TILFORD, PAUL E.: Fasciation of Sweet Peas Caused by *Phytomonas fascians*, N. Sp.... 383–394
TITUS, HARRY W., BYERLY, T. C., ELLIS, N. R., and NESTLER, R. B.: Effect of Packing-House Byproducts, in the Diet of Chickens, on the Production and Hatchability of Eggs 453–465
Tobacco tissues and organs, relation of curly top virus to, studies 595–596, 611–620
Tomatoes—
carbon dioxide storage effects, experiments 3–4, 10, 12–14, 15
iodine content, influence of fertilizer treatment and soil acidity on 792, 793–794, 795
TOMPKINS, C. M., TUCKER, C. M., and GARDNER, M. W.: Phytophthora Root Rot of Cauliflower 685–692
Toxoptera graminum, development-temperature correlation in. F. M. Wadley 259–266
Transpiration, cooling effects on conifers, and lethal high temperature for. Hardy L. Shirley 239–258
TREICHLER, RAY, FRAPS, G. S., and KEMMERER, A. R.: Relation of the Carotene Content of Certain Feed Materials to Their Vitamin A Potency 713–716
TUCKER, C. M., TOMPKINS, C. M., and GARDNER, M. W.: Phytophthora Root Rot of Cauliflower 685–692
Tung-oil green, effectiveness against Japanese beetle, experiments 187–194
TURNER, LEWIS M.: Root Growth of Seedlings of *Pinus echinata* and *Pinus taeda* 145–149
Turnips—
respiratory responses after cold storage, experiments 557, 559–561, 566–567, 576, 578
yields and iodine content, influence of iodine fertilization on, studies 795–797

Udder infection of cows, study 225–232

Page

Udders, cow, protein in, nutritive value. Ralph Hoagland and George G. Snider... 349–355
Ultraviolet—
light, effect upon repellency of derris and rotenone to Japanese beetle 201–203
radiation, utilization by uropygial gland of chicks, experiments 67–71
Uropygial gland of chicks, relation to vitamin D deficiency, experimental study. Elizabeth F. Murphy 67–71

Vegetables—
in storage, carbohydrates and acidity in, effect of carbon dioxide on. Erston V. Miller and Oscar J. Dowd 1–17
iodine content, influence of commercial fertilizers, potassium iodide, and soil acidity on. Warren B. Mack and Eugene P. Brasher 789–800
respiration at higher temperatures, effect of previous cold storage on. C. O. Appleman and C. L. Smith 557–580
sugar content, relation to respiration after storage 576–578
Vicia faba, reactions to legume viruses 180
Vitamin A—
content of—
alfalfa hay, effect of storage upon. Margaret Cammack Smith 681–684
citron, fresh green and preserved 865–866
potency of certain feed materials, relation to carotene content. G. S. Fraps, Ray Treichler, and A. R. Kemmerer 713–716
Vitamin B content of lean beef and pork, influence of cooking and canning on. F. W. Christensen, Esther Latzke, and T. H. Hopper 415–432
Vitamin C content of—
apples, factors affecting. E. L. Batchelder and E. L. Overholser 547–551
citron, fresh green and fermented 863–865
Vitamin D deficiency in chicks, relation to uropygial gland, experimental study. Elizabeth F. Murphy 67–71
Vitamin G content of—
lean beef and pork, influence of cooking and canning on.. F. W. Christensen, Esther Latzke, and T. H. Hopper 415–432
packing-house byproducts, determination. 456–457

WADE, B. L., and ZAUMEYER, W. J.: Pea Mosaic and Its Relation to Other Legume Mosaic Viruses 161–185
WADLEY, F. M.: Development-Temperature Correlation in the Green Bug, *Toxoptera graminum* 259–266
WALDRON, L. R.—
Influence of Black Point Disease, Seed Treatment, and Origin of Seed on Stand and Yield of Hard Red Spring Wheat... 781–788
The Effect of Leaf Rust Accompanied by Heat upon Yield, Kernel Weight, Bushel Weight, and Protein Content of Hard Red Spring Wheat 399–414
WARD, G. E., LOCKWOOD, L. B., and MAY, O. E.: The Physiology of *Rhizopus oryzae*. 849–857
Waste sulphite liquor, ammoniation and possible utilization as fertilizer material. M. Phillips, M. J. Goss, B. E. Brown, and F. R. Reid 209–224
Watermelon, inheritance of resistance to wilt (*Fusarium niveum*), studies. L. S. Bennett 295–306
WEIMER, J. L.: Alfalfa Dwarf, a Virus Disease Transmissible by Grafting 333–347
Wheat—
black point—
disease, influence on stand and yield of hard red spring variety. L. R. Waldron. 781–788
infection, relation to size of wheat kernel. 781–782
disease reaction and yield, influence of environment during maturation. B. B. Bayles 717–748
growing, effect of 1934 and 1935 weather conditions on 401–402
hard red spring—
effect of leaf rust accompanied by heat upon yield, kernel weight, bushel weight, and protein content. L. R. Waldron 399–414

Wheat—Continued.
hard red spring—continued. Page
stand and yield, influence of black point disease, seed treatment, and origin of seed on. L. R. Waldron 781–788
hybrids, dwarfing, occurrence, studies 153–160
inheritance of complementary dwarfing factors. V. H. Florell and J. Foster Martin 151–160
leaf rust, accompanied by heat, effect upon yield, kernel weight, bushel weight, and protein content of hard red spring wheat. L. R. Waldron 399–414
protein content, effect of leaf rust on, experiments 410–413
seed—
origin, effect on stand and yield of hard red spring variety. L. R. Waldron 781–788
transmission of black point disease, studies 781–788
treatment, effect on stand and yield of hard red spring variety. L. R. Waldron 781–788
seedlings, susceptibility to *Gibberella saubinetii*, experiments and results. 722–738, 740–745
spike, development. O. T. Bonnett 445–451
take-all disease, caused by *Ophiobolus graminis* 765
varieties—
response to different fertility levels. C. A. Lamb and Robert M. Salter 129–143
susceptibility to *Cercosporella herpotrichoides*, experiments 661–667, 668
yield and weight, effect of leaf rust on, data 403–410, 412–413
yields, effect of—
black point disease on, studies 781–788
environment on, studies 717–748

WHITNAH, C. H., and BOGART, RALPH: Reproductive Capacity of Female Rats as Affected by Kinds of Carbohydrates in the Ration 527–532

Wilt—
bacterial— Page
resistance of inbred strains and crosses of sweet corn. S. S. Ivanoff and A. J. Riker 927–954
resistance of open-pollinated varieties of sweet, dent, and flint corn. S. S. Ivanoff 917–926
seedling, of black locust, caused by *Phytophthora parasitica*. Edmund B. Lambert and Bowen S. Crandall 467–476
watermelon, resistance, inheritance studies. L. S. Bennett 295–306
See also under specific hosts.

WITHROW, ROBERT B., and BIEBEL, J. P.: Subirrigation Method of Supplying Nutrient Solutions to Plants Growing under Commercial and Experimental Conditions 693–701

Wood pulp, preparation, waste sulphite liquor from, utilization 209–224

Yeast, new species, *Zygosaccharomyces pini*, association with bark beetles in pines. Eugene C. Holst 513–518

ZAUMEYER, W. J., and WADE, B. L.: Pea Mosaic and Its Relation to Other Legume Mosaic Viruses 161–185

Zea mays—
caryopsis, developmental morphology 881–916
hybrid vigor and growth rate, investigations 819–830
pollination and fertilization 886–887
See also Corn; Maize.

Zinc applications on leaves and twigs of orange trees affected with mottle-leaf, specific effects. H. S. Reed and E. R. Parker 395–398

Zygosaccharomyces pini—
new species of yeast associated with bark beetles in pines. Eugene C. Holst 513–518
n. sp., technical description 515–516

Page
954
928
476
306
701
294
518
185
916
830
887
398
518
516